AstralPool

SOLO ECHO

# SALT CHLORINATORS

The *brain* of your pool.

AstralPool

# Smarter pool care, made *simple*.

Designed and made in Australia for local pool conditions, the AstralPool Solo™ and AstralPool Echo™ are the perfect addition to a new pool build or upgrading your current chlorinator.

Both models combine smart, easy-to-use control with reliable engineering, helping you enjoy everyday pool performance you can count on.

Connect to the Fluidra Pool app to access key pool information and manage compatible equipment from the comfort of your phone.

Now available for download from the Apple App Store and Google Play Store.

works with FLUIDRA POOL | Download on the App Store | GET IT ON Google Play

Sleek design

Connectivity



Engineered to perform

25°
ASTRALPOOL
ECHO

# One *pool.* One *ecosystem.*

## Choose the right model for your pool.

AstralPool

SOLO™

### Designed to support a *seamless* pool experience.

Designed for pool owners who want easy, modern pool control. For new pools, it provides a strong foundation for everyday operation. For existing pools, it offers a smart upgrade from standard entry level chlorinators.

AstralPool

ECHO™

### Giving your pool *smarter* control.

Offers greater flexibility for pools that need more connected equipment control. It helps simplify pool management by bringing key equipment functions into one easy-to-use system.

works with FLUIDRA POOL

Now available to download via the Apple App and Google Play stores.

# Powerful *features.* Clear *specs.*

| FEATURES | AstralPool Solo™<br>Ideal for simple connected chlorination | AstralPool Echo™<br>Ideal for expanded equipment control |
|---|---|---|
| Touchscreen control (5″ resistive) | ✓ | ✓ |
| App control via Fluidra Pool App | ✓ | ✓ |
| Boost/Low spa mode | ✓ | ✓ |
| Seasonal mode & Cold Protect | ✓ | ✓ |
| Water temperature sensor | ✓ | ✓ |
| AstralPool VS Pump control (Bluetooth®) | ✓ | ✓ |
| Heater integration (relay/RJ12) | × | ✓ |
| AstralPool VS Pump control (RJ12) | × | ✓ |
| Sensorless acid dosing | × | ✓ |
| Lighting control (Halo Lite) | × | ✓ |

| SPECIFICATIONS | Small | Mid | Large | Extra Large |
|---|---|---|---|---|
| Output size (gms/hr) | 18 | 25 | 35 | 45 |
| Pool size (L) (temperature climate) | 50,000 | 90,000 | 120,000 | 150,000 |
| Pool size (L) (tropical climate) | 40,000 | 60,000 | 80,000 | 100,000 |
| Recommended salinity (@ 25°C) | 4,000ppm | | | |
| Salinity range (@ 25°C) | 3,000 - 8,000ppm | | | |
| Plumbing size | 40mm & 50mm | | | |
| Pump amperage | 8.5A Max | | | |
| Power pack dimensions (mm) | L317 x W223 x H129 | | | |
| Cell dimensions (mm) | L300 x W120 x H170 | | | |

Because the best days,
should last a little longer.
Scan to learn more.

AstralPool®

Make it last.



AstralPool
FLUIDRA

©2026 Fluidra Group Australia Pty Ltd. All rights reserved. The trademarks and trade names used herein are the property of their respective owners.

astralpool.com.au
astralpool.co.nz